Subject Index to Volume 5

Note: Page numbers preceded by P can be found in the January/February issue.

A

Acrosome Stabilizing Factor, sperm (rabbit) (B4), P-12
Adenocarcinoma
  prostate, control of metastases in (rat), 265
    Dunning, androgen responsiveness of (P29), P-31
Adenoma, prolactin secreting, surgery of, bromocriptine for infertility after, 294
Adenosine, interaction of with sperm adenylate cyclase (bull), 361
Adenosine monophosphate, cyclic, LH-generated, inhibition of by neurohypophyseal hormones (G1), P-18
Adenylate cyclase, sperm, interaction of with adenosine (bull), 361
Adnexitis
  asymptomatic, incidence and sensitivity of bacteria in (C6), P-14
    prostatovesicular fluid pH in (P30), P-31
Age
  and germinal cell loss during post-prophase meiosis (B2), P-11
  and impotence (D4), P-15
  and testicular blood flow (rat), 223
  and testicular hCG binding (rats) (A4), P-10
Aggressiveness, sexual, after GnRH injection (bull) (P15), P-28
Alloplastic spermatocele (dog) (P6), P-25
  bridge (rat), 155
  clinical experience with, 304
  indications for (P14), P-27
Alpha subunit, secretion of by androgen, control of (F1), P-17
Amino acids, seminal, role of in vaginal sperm progression (P22), P-29
Androgen (5)
  alpha subunit secretion by, control of (F1), P-17
  constant low dose administration of, by silastic implant (steers), 87
  increased production of, by Leydig cells, and fetal irradiation (rat), 344
  levels of, endogenous opioid peptides in control of (monkey), 339
  loss of from reproductive tract tubules (rat) (H5), P-21
  peripheral conversion of, and androgen implants (steer), 87
  responsiveness to, in organ culture systems using rat ventral prostate or Dunning adenocarcinoma (P29), P-31
Androgen-binding protein
  photoaffinity-labeled rat, clearance, metabolic fate, and tissue distribution of (A2), P-10
  secretion of by Sertoli cells, and germ cell contact, 409
  in testis and epididymis of cynomolgus monkey, (A1), P-10
Androgen-dependent protein, in seminal plasma, arginine esterase as (dog), 206
Androgen receptors
  exchange assay for, in presence of molybdate (A3), P-10
  fibroblast, and genitourinary anomalies, 313
Anesthetics, local, and epididymal protein secretion (rat), 351
Antibodies
  antisperm, comparative assays of (J4), P-23
    enzyme-linked immunosorbent assay for (P3), P-25
    microtitre assay for (J1), P-23
    radio-binding test for (P3), P-25
Antisperm antibodies
  comparative assays of (J4), P-23
  enzyme-linked immunosorbent assay for (P3), P-25
  microtitre assay for (J1), P-23
  radio-binding test for (P3), P-25
Arginine esterase, in seminal plasma (dog), 206

B

Biopsy
  testicular, correlation of to treatment results in oligospermia (P26), P-30
    for infertility (C1), P-13
Blood substitutes, and testicular steroidogenesis (A6), P-11
Blood-testis barrier, lanthanum tracer study of (rabbit) (H2), P-20
Bromocriptine, for infertility after surgery of prolactin secreting adenoma, 294

C

Calcium, and GnRH-s stimulated Leydig cell steroidogenesis, 193
Cancer. *See also* Adenocarcinoma
  prostate, DHT levels in, at relapse (I6), P-22, after orchiectomy vs. estrogen therapy
Chinese herb medicine, for infertility (P20), P-29
Chlortetracycline fluorescence assay, for sperm capacitation (mouse) (B6), P-12
Chromatin, in normo- and teratospermic sperm (P1), P-24
Centrifugation methods, effect of on sperm (I4), P-22
Cervical mucus penetration, sperm-sperm interactions in (P11), P-27
Cortisol, serum, effect of electroejaculation and ketamine HCl on (cat), 431
Cryopreservation
  of sperm, glycerol vs. zwitter ion buffer system for, 1
    survival in, and cryoprotectives and freezing methods (I2), P-21
Cryoprotectives, and sperm cryosurvival (I2), P-21
Cryptorchidism
  adult, fertility in, 125
  childhood, intranasal LHRH for, 116
  and PRL and LH binding (hamsters) (A5), P-11
Cyclophosphamide
  distribution of in male reproductive tract and post-mating vaginal absorption and distribution of (C3), P-13
  long-term, reproductive parameters during and after (dog) (P16), P-28

D

Diabetes, sexual dysfunction in, endocrinology of, 8
Dihydrotestosterone (DHT)
  levels of, in prostate cancer, at relapse after orchiectomy vs. estrogen therapy (I6), P-22
  ratio of, in genital skin fibroblasts, 171
Dinitrophenol, and epididymal protein secretion (rat), 351

Subject Index to Volume 5

Note: Page numbers preceded by P can be found in the January/February issue.

A

Acrosome Stabilizing Factor, sperm (rabbit) (B4), P-12
Adenocarcinoma
  prostate, control of metastases in (rat), 265
    Dunning, androgen responsiveness of (P29), P-31
Adenoma, prolactin secreting, surgery of, bromocriptine for infertility after, 294
Adenosine, interaction of with sperm adenylate cyclase (bull), 361
Adenosine monophosphate, cyclic, LH-generated, inhibition of by neurohypophyseal hormones (G1), P-18
Adenylate cyclase, sperm, interaction of with adenosine (bull), 361
Adnexitis
  asymptomatic, incidence and sensitivity of bacteria in (C6), P-14
    prostatovesicular fluid pH in (P30), P-31
Age
  and germinal cell loss during post-prophase meiosis (B2), P-11
  and impotence (D4), P-15
  and testicular blood flow (rat), 223
  and testicular hCG binding (rats) (A4), P-10
Aggressiveness, sexual, after GnRH injection (bull) (P15), P-28
Alloplastic spermatocele (dog) (P6), P-25
  bridge (rat), 155
  clinical experience with, 304
  indications for (P14), P-27
Alpha subunit, secretion of by androgen, control of (F1), P-17
Amino acids, seminal, role of in vaginal sperm progression (P22), P-29
Androgen (5)
  alpha subunit secretion by, control of (F1), P-17
  constant low dose administration of, by silastic implant (steers), 87
  increased production of, by Leydig cells, and fetal irradiation (rat), 344
  levels of, endogenous opioid peptides in control of (monkey), 339
  loss of from reproductive tract tubules (rat) (H5), P-21
  peripheral conversion of, and androgen implants (steer), 87
  responsiveness to, in organ culture systems using rat ventral prostate or Dunning adenocarcinoma (P29), P-31
Androgen-binding protein
  photoaffinity-labeled rat, clearance, metabolic fate, and tissue distribution of (A2), P-10
  secretion of by Sertoli cells, and germ cell contact, 409
  in testis and epididymis of cynomolgus monkey, (A1), P-10
Androgen-dependent protein, in seminal plasma, arginine esterase as (dog), 206
Androgen receptors
  exchange assay for, in presence of molybdate (A3), P-10
  fibroblast, and genitourinary anomalies, 313
Anesthetics, local, and epididymal protein secretion (rat), 351
Antibodies
  antisperm, comparative assays of (J4), P-23
    enzyme-linked immunosorbent assay for (P3), P-25
    microtitre assay for (J1), P-23
    radio-binding test for (P3), P-25
Antisperm antibodies
  comparative assays of (J4), P-23
  enzyme-linked immunosorbent assay for (P3), P-25
  microtitre assay for (J1), P-23
  radio-binding test for (P3), P-25
Arginine esterase, in seminal plasma (dog), 206

B

Biopsy
  testicular, correlation of to treatment results in oligospermia (P26), P-30
    for infertility (C1), P-13
Blood substitutes, and testicular steroidogenesis (A6), P-11
Blood-testis barrier, lanthanum tracer study of (rabbit) (H2), P-20
Bromocriptine, for infertility after surgery of prolactin secreting adenoma, 294

C

Calcium, and GnRH-s stimulated Leydig cell steroidogenesis, 193
Cancer. *See also* Adenocarcinoma
  prostate, DHT levels in, at relapse (I6), P-22, after orchiectomy vs. estrogen therapy
Chinese herb medicine, for infertility (P20), P-29
Chlortetracycline fluorescence assay, for sperm capacitation (mouse) (B6), P-12
Chromatin, in normo- and teratospermic sperm (P1), P-24
Centrifugation methods, effect of on sperm (I4), P-22
Cervical mucus penetration, sperm-sperm interactions in (P11), P-27
Cortisol, serum, effect of electroejaculation and ketamine HCl on (cat), 431
Cryopreservation
  of sperm, glycerol vs. zwitter ion buffer system for, 1
    survival in, and cryoprotectives and freezing methods (I2), P-21
Cryoprotectives, and sperm cryosurvival (I2), P-21
Cryptorchidism
  adult, fertility in, 125
  childhood, intranasal LHRH for, 116
  and PRL and LH binding (hamsters) (A5), P-11
Cyclophosphamide
  distribution of in male reproductive tract and post-mating vaginal absorption and distribution of (C3), P-13
  long-term, reproductive parameters during and after (dog) (P16), P-28

D

Diabetes, sexual dysfunction in, endocrinology of, 8
Dihydrotestosterone (DHT)
  levels of, in prostate cancer, at relapse after orchiectomy vs. estrogen therapy (I6), P-22
  ratio of, in genital skin fibroblasts, 171
Dinitrophenol, and epididymal protein secretion (rat), 351

Doppler technique, for evaluation of penile circulation, 131
Dunning adenocarcinoma, androgen responsiveness of (P29), P-31

E

Electroejaculation, and ketamine-HCl, effect of on serum cortisol, progesterone, and testosterone (cat), 431
Endorphins, in semen (P21), P-29
β-Endorphin-like compounds, in Leydig cell tumors (mouse) (F4), P-18
Endurance training, and gonadotropin and prolactin secretion, 21
Enzyme-linked immunosorbent assay, for antisperm antibodies (P3), P-25
Epididymal and seminal plamsa α-1,4-glucosidase, biochemical similarities of, 277
Epididymis
  absorption of organic solutes in (rat) (E4), P-16
  androgen-binding protein in, in cynomolgus monkey (A1), P-10
    contractility of, prostaglandin regulation of (rat) (P24), P-30, 216
    tubules of, organ culture of in perifusion chamber (rat), 243
  culture of principle cells from (ram) (E3), P-16, 389
  obstruction of, monolateral tubulovasostomy for, 330
  protein secretion by, modification of by local anesthetics, glucose deprivation, dinitrophenol, ouabain, and ionophores (rat), 351
Estradiol, testicular cytoplasmic binding sites in, 159
short-term immunization with, Estradiol-17B, and reproductive processes (ram) (G5), P-19
Estrogen therapy, vs. orchiectomy, prostate cancer relapse after, DHT levels at (I6), P-22
Ethylene glycol monomethyl ether
  and testicular histology (rat), 369
  as testicular toxicant (C2), P-13

F

Ferritin, in seminoma, ultrastructural identification of (P23), P-30
Fertilization
  in vitro, of cumulus-free oocytes, wheat germ agglutinin inhibition by (mouse) (J5), P-24
    semen evaluation after preparation for (D1), P-14
Fertility
  in adult cryptorchids, 125
  estimation of, by penetration of zona-free hamster eggs by bovine sperm (G2), P-18
  after GnRH injection (bull) (P15), P-28
  after prepubertal spermatic cord torsion (rat), 93
  and varicocele, 17
Fibroblasts, genital skin, DHT ratio in, 171
Fibroblast androgen receptors, and genitourinary anomalies, 313
Follicle stimulating hormone (FSH)
  increased, in oligospermia, and decreased LHRH pulse frequency (D2), P-14
  and LH, differential regulation of, post-orchiectomy (rat), 80
46XY male karyotype, Leydig cell agenesis in (P19), P-29

G

Genital skin fibroblasts, DHT ratio in, 171
Genitourinary anomalies, fibroblast androgen receptors and, 313
Germ cell(s)
  degeneration of, and microwave irradiation (rat) (P17), P-28
  in fetal testes, squash preparation studies of, 334
  intratubular neoplasia of, and precocious puberty (P18), P-28
  loss of, during post-prophase meiosis, and age (B2), P-11
  numbers of, and Sertoli cell population (B1), P-11
  and secretion of androgen binding protein by Sertoli cells, 409
Glucose deprivation, and epididymal protein secretion (rat), 351
Glucosidase, α-1,4-glucosidase, epidydmal and seminal plasma, biochemical similarities of, 277
Glycerol, vs. zwitter ion buffer system, as cryoprotective medium for sperm, 1
Glycosaminoglycan ^{3}H-heparin, in vitro binding of, to bull, monkey, and rabbit sperm, 51
Gonadal function, recovery of, after cessation of LHRH analog (rat), 181
Gonadotropins. *See also specific types*
  pulsatile secretion of, in marathon runners, 21
  suppression of, and androgen implants (steer), 87
Gonadotropin-releasing hormone (GnRH)
  fertility, sexual aggressiveness, semen characteristics, and LH and testosterone concentrations after injection of (bull) (P15), P-28
  and phospholipid labeling, 201
Gonadotropin-releasing hormone-stimulated Leydig cell steroidogenesis
  and increased phospholipid labeling (G4), P-19
  mechanism of action of, 193, 201
Gossypol
  effect of on sperm (bull) (J2), P-23
  inhibition of testicular mitochondrial respiratory chain by (J3), P-23, 424
  recovery of normal testicular ultrastructure and sperm motility after (rat), 416

H

Hachimi-jiou-gan, for infertility (P20), P-29
Hamster eggs, zona-free, penetration of by bovine sperm, and estimation of fertility (G2), P-18
^{3}H-Heparin, in vitro binding of, to bull, monkey, and rabbit sperm, 51
Herbal medicine, Chinese, for infertility (P20), P-29
HLA linkage, and testicular dysfunction, in sibship (D5), P-15
Hormones, and diabetic and nondiabetic sexual dysfunction, 8
Human chorionic gonadotropin (hCG)
  testicular binding of, and aging (rat) (A4), P-10
    autoregulation of (rat) (G3), P-19
  and testicular blood flow (rat), 223
  for uremic impotence, 120
Hyperprolactinemia, ultrastructural testicular lesions in, 283
Hypogonadism
  hypogonadotropic, gonadotropic therapy in, 106
    LHRH analog therapy for, 111
Hypogonadotropic hypogonadism
  gonadotropic therapy in, 106
  LHRH analog therapy for, 111
Hypospadias, one-stage repair of, 141
Hypothermia, scrotal, and testicular blood flow (dog), 227
Hypothermic ischemia, testicular, and Sertoli-cell–only syndrome (rat) (H4), P-20

I

Ichthyol, for semen liquefaction disturbances, 128
Immunological sperm agglutination mechanism (P2), P-24
Impotence. *See also* Sexual dysfunction
  and age (D3), P-15
  in chronic renal failure, hCG treatment for, 120
  diabetic and nondiabetic, endocrinology of, 8
  and sudden-onset bilateral testicular atrophy (P25), P-30
  and testicular dysfunction (D3), P-15
In vitro fertilization

of cumulus-free oocytes, wheat germ agglutinin inhibition of (mouse) (J5), P-24
semen evaluation after preparation for (D1), P-14
Infertility. *See also* Subfertility and specific causes
Chinese herb medicine for (P20), P-29
morphometric sperm analysis in (P12), P-27
after surgery of prolactin secreting adenoma, bromocriptine for, 294
testicular biopsy for (C1), P-13
unexplained, fertility after, and semen quality, 297
Ionophores, and epididymal protein secretion (rat), 351
Ionophore A23187, sperm function after exposure to, 321
Irradiation
microwave, and germ cell degeneration (rat) (P17), P-28
x-ray, fetal, and increased androgen production by Leydig cells (rat), 344
testicular, and Leydig cell function (P13), P-27
Ischemia, hypothermic testicular, and Sertoli-cell-only syndrome (rat) (H4), P-20

K

Ketamine hydrochloride, and electroejaculation, effect of on serum cortisol, progesterone, and testosterone (cat), 431

L

Lanthanum tracer study, of blood-testis barrier (rabbit) (H2), P-20
Lectin-induced agglutination, in assessment of sperm plasma membrane alteration during capacitation (B3), P-12
Leydig cells
agenesis of, in 46XY normal male karyotype (P19), P-29
increased androgen production by, and fetal irradiation (rat), 344
Leydig cell function
and testicular irradiation (P13), P-27
in varicocele, 163
Leydig cell steroidogenesis
GnRH–stimulated, and increased phospholipid labeling (G4), P-19
mechanism of action of, 193, 201
Leydig cell tumors, β-endorphin–like compounds in (mouse) (F4), P-18
Lipid fluidity, increased serum and prostatic membrane, and prolactin (E5), P-16
Local anesthetics, and epididymal protein secretion (rat), 351
Luteinizing hormone (LH)
binding of, effects of cryptorchidism and short photoperiod on (hamster), (A5), P-11
concentration of, after GnRH injection (bull) (P15), P-28
and FSH, differential regulation of, post-orchiectomy (rat), 80
LH-generated cAMP, inhibition of by neurohypophysial hormones (G1), P-18
Luteinizing hormone releasing hormone (LHRH)
decreased pulse frequency of, and FSH increases in oligospermia (D2), P-14
intranasal, for cryptorchidism, 116
D-Nal(2)^6-Luteinizing hormone releasing hormone, and sexual function (dog), 28
Luteinizing hormone releasing hormone agonist
inhibition of steroidogenesis and spermatogenesis by, reversibility of (dog) (F2), P-17
and sexual function (dog), 28
Luteinizing hormone releasing hormone analog
cessation of, recovery of gonadal function after (rat), 181
plus testosterone, sperm density after, 176
in treatment of hypogonadotropic hypogonadism, 111
Luteinizing hormone releasing hormone antagonist, antigonadal effects of (animals) (F3), P-17

M

Malnutrition, growth and reproductive adaptation in (rat), 99
Marathon runners, male, pulsatile secretion of gonadotropins and prolactin in, 21
Meiosis, post-prophase, germinal cell loss during, and age (B2), P-11
Microwave irradiation, and germ cell degeneration (rat) (P17), P-28
Molybdate, exchange assay for androgen receptors in presence of (A3), P-10

N

Nephrotic syndrome, increased sensitivity to testosterone negative feedback in (F5), P-18
Nesbit's operation, for congenital penile curvature, 138
Neurohypophysial hormones, antigonadal activity of (G1), P-18

O

Oligospermia
Chinese herb medicine for (P20), P-29
correlation of testicular biopsy and treatment results in (P26), P-30
FSH increases in, and decreased LHRH pulse frequency (D2), P-14
Oligozoospermia, sperm function after exposure to ionophore A23187, 313
Oocytes, fertilized, localization of tubulin and microtubules of (rabbit), 259
Opioid peptides, endogenous, in control of androgen levels (monkey), 339
Orchiectomy
and differential regulation of FSH and LH (rat), 80
vs. estrogen therapy, prostate cancer relapse after, DHT levels at, (I6), P-22
Ouabain, and epididymal protein secretion (rat), 351

P

Penis
circulation in, evaluation of, Doppler technique for, 131
congenital curvature of, Nesbit's operation for, 138
Peyronie's disease, long-term follow-up in, 145
Phospholipid labeling
and GnRH, 201
increased, and GnRH-stimulated Leydig cell steroidogenesis (G4), P-19
Photoperiod, short, and PRL and LH binding (hamster) (A5), P-11
Photoperiodism, and neuroendocrine-gonadal activity (hamster), 64
Pineal, and Sertoli cell responsiveness to FSH (hamster), 211
Pituitary-gonadadal axis, functional recovery of, after cessation of LHRH analog (rat), 181
Pituitary-testicular axis, abnormalities of, in severely ill men (D4), P-15
Plasma membrane proteins, of caput and cauda epididymal sperm (boar) (E1), P-15
Precocious puberty, and intratubular germ cell neoplasia (P-18), P-28
Progesterone, effect of electroejaculation and ketamine HCl on (cat), 431
Prolactin
binding of, effects of cryptorchidism and short photoperiod on (hamster) (A5), P-11
and increased serum lipid fluidity and prolactin binding and lipid fluidity of prostatic membranes (rat) (E5), P-16
pulsatile secretion of, in marathon runners, 21
Prostaglandin, regulation of caput epididymal contractility by (rat) (P24), P-30, 216

Prostate
adenocarcinoma of, control of metastases in (rat), 265
Dunning, androgen responsiveness of (P29), P-31
arginine esterase secretion by (dog), 206
cancer of, DHT levels in, at relapse (I6), P-22 after orchiectomy vs. estrogen therapy
membranes of, increased prolactin binding and lipid fluidity of, and prolactin (E5), P-16
normal and hypertrophied, 5α-reductase in (dog) (E6), P-17
ventral, androgen responsiveness of (rat) (P29), P-31
water imbibition in, postcastration (rat) (P30), P-31
Prostatovesicular fluid pH, in asymptomatic adnexitis (P30), P-31
Protein deficiency, chronic, growth and reproductive adaptation in (rat), 99
Protein phosphorylation, in plasma membranes of epididymal sperm (bull) (E2), P-16
Protein secretion, epididymal, and local anesthetics, glucose deprivation, dinitrophenol, ouabain, and ionophores (rat), 351
Puberty, precocious, and intratubular germ cell neoplasia (P18), P-28

R

Radiation. *See* Irradiation
Radio-binding test, for antisperm antibodies (P3), P-25
5-α Reductase
inhibition of, and alteration of nuclear testosterone, 171
in normal and hypertrophied prostates (dog) (E6), P-17
Renal failure, chronic, impotence in, hCG for, 120
Reproduction
photoperiodic control of (hamster), 64
seasonal, and photoperiodism (hamster), 64
Reproductive history, in fertile men with and without varicocele, 17
Reproductive processes
short-term E_2 immunization and (ram) (G5), P-19
and tamoxifen (ram) (G5), P-19
Runners, male marathon, pulsatile secretion of gonadotropins and prolactin in, 21

S

Saliva, sperm agglutinin in (P4), P-25
Scrotum
contact thermography of, for hypofertility screening (P27), P-31
hypothermia of, and testicular blood flow (dog), 227
Semen
amino acids in, role of in vaginal sperm progression (P22), P-29
endorphins in (P21), P-29
after GnRH injection (bull) (P15), P-28
liquefaction disturbances in, diagnosis and therapy of, 128
parameters of, in normal vs. ureaplasma urealyticum samples (P7), P-26
in subfertile men (J4), P-23
quality of, and fertility after unexplained infertility, 297
silica wool filtration of (I1), P-21
Semen analysis
in fertile men with varicocele, 17
after preparation for in vitro fertilization (D1), P-14
Seminal plasma
arginine esterase in (dog), 206
and epidymis, α-1,4-glucosidase in, biochemical similarities of, 277
sperm motility inhibitor in, 269
Seminoma, ferritin in, ultrastructural identification of (P23), P-30
Sertoli cell(s)
androgen binding protein secretion by, and germ cells, 409
FSH responsiveness of, role of pineal in (hamster), 211
hypotonic treatment and (H3), P-20
population of, and germ cell numbers (B1), P-11
Sertoli-cell–only syndrome, and hypothermic testicular ischemia (rat) (H4), P-20
Sexual aggressiveness, after GnRH injection (bull) (P15), P-28
Sexual dysfunction. *See also* Impotence
diabetic, endocrinology of, 8
endocrinology of, 8
and sudden onset bilateral testicular atrophy (P25), P-30
Silica wool, sperm filtration with (I1), P-21
Spermatozoa
acrosome integrity in, and centrifugation methods (I4), P-22
activity of, assessment methods for, comparison of (P5), P-25
adenylate cyclase in, interaction of with adenosine (bull), 361
agglutination of, immunological mechanism of (P2), P-24
antibodies to. *See* Antisperm antibodies
caput and cauda epididymal, plasma membrane proteins of (boar) (E1), P-15
cryopreservation of, glycerol vs. zwitter ion buffer system for, 1
cryosurvival of, cryoprotectives and freezing methods and (I2), P-21
density of, after LHRH analog plus testosterone therapy, 176
effect of centrifugation methods on (I4), P-22
epididymal, maturation of, and absorption of fluid proteins (ram) (H1), P-20
plasma membranes of, protein phosphorylation in (bull) (E2), P-16
gossypol effect on (bull) (J2), P-23
hyperactivation of, 45
in vitro binding of glycosaminoglycan ^{3}H-heparin to, (bull, monkey, and rabbit), 51
in vitro manipulation of, qualitative improvement after (P10), P-26
membrane integrity of, dual fluorescent staining observation of (B5), P-12
morphology of, and centrifugation methods (I4), P-22
morphometric analysis of (I3), P-22
in infertility analysis (P12), P-27
motility of, and centrifugation methods (I4), P-22
inhibitor of, origin of, 269
quantitative assessment of, optimal parameters for (I5), P-22
recovery of after gossypol treatment (rat), 416
and varicocele repair (C4), P-13
normo- and teratospermic, chromatin in (P1), P-24
plasma membrane of, alteration of during capacitation, lectin-induced agglutination assessment of (B3), P-12
quality of, after exposure to ionophore A23187, 321
and fertility after unexplained infertility, 297
improvements in, after in vitro manipulation (P10), P-26
sperminogen in (boar) (P9), P-26
in subfertile male, spontaneous variations in (P8), P-26
thigmotaxic response of (G6), P-19
vaginal progression of, and seminal amino acids (P22), P-29
Sperm Acrosome Stabilizing Factor (rabbit) (B4), P-12
Sperm agglutinin, in saliva (rabbit), (P4), P-25
Sperm capacitation, 45
chlortetracycline fluorescence assay for (mouse) (B6), P-12
plasma membrane alteration during, lectin-induced agglutination assessment of (B3), P-12
Sperm count, and varicocele repair (C4), P-13
Sperm-sperm interactions, in cervical mucus penetration (P11), P-27
Spermatic cord torsion
histological response to (rat) (H6), P-21

prepubertal, fertility after (rat), 93
Spermatocele
alloplastic (dog) (P6), P-25
bridge (rat), 155
clinical experience with, 304
indications for (P14), P-27
Spermatogenesis
inhibition of by LHRH agonist, reversibility of (dog) (F2), P-17
premeiotic steps of, hormonal regulation of (rat), 235
Sperminogen, in sperm extracts (boar) (P9), P-26
Steroidogenesis
GnRH-stimulated Leydig cell, and increased phospholipid labeling (G4), P-19
mechanism of action of, 193, 201
inhibition of by LHRH agonist, reversibility of (dog) (F2), P-17
testicular, and blood substitutes (A6), P-11
seasonal changes in (rhesus monkey), 70
Subfertility. *See also* Infertility
contact scrotal thermography screening of (P27), P-31
semen parameters in (J4), P-23
spontaneous variation in sperm in (P8), P-26

T

Tamoxifen, and reproductive processes (ram) (G5), P-19
Testicular steroidogenesis. *See* Steroidogenesis
Testis(es)
androgen-binding protein in, in cynomolgus monkey (A1), P-10
atrophy of, sudden onset bilateral, and sexual dysfunction (P25), P-30
biopsy of, correlation of to treatment results in oligospermia (P26), P-30
for infertility (C1), P-13
blood flow in, and aging (rat), 223
and hCG (rat), 223
and scrotal hypothermia (dog), 227
cytoplasmic estradiol binding sites in, 159
ethylene glycol monomethyl ether as toxicant of (C2), P-13
fetal, irradiation of, and increased Leydig cell androgen production (rat), 344
squash preparation studies of germ cells in, 334
hemodynamics of, and varicocele repair (C4), P-13
histology of, effects of ethylene glycol monomethyl ether on (rat), 369
hypothermic ischemia of, and Sertoli-cell–only syndrome (rat) (H4), P-20
hCG binding in, and aging (rats) (A4), P-10
autoregulation of (rats) (G3), P-19
irradiation of, and increased Leydig cell function (P13), P-27
and Leydig cell function (P13), P-27
mitochondrial respiratory chain in, gossypol inhibition of (J3), P-23, 424
normal ultrastructure of, recovery of after gossypol treatment (rat), 416
PRL and LH binding in, effects of cryptorchidism and short photoperiod on (hamster) (A5), P-11
steroidogenesis in. *See* Steroidogenesis
temperature of, and varicocele repair (C4), P-13
ultrastructural lesions of, in hyperprolactinemia, 283
Testicular dysfunction
and impotence (D3), P-15
sibship showing HLA linkage with (D5), P-15
Testicular function, in chronic protein deficiency (rat), 99
Testosterone
concentration of, after GnRH injection (bull) (P15), P-28
effect of electroejaculation and ketamine HCl on (cat), 431
nuclear, alteration of, and inhibition of 5α-reductase activity, 171
Testosterone negative feedback, increased sensitivity to, in nephrotic syndrome (F5), P-18
Thermography, contact scrotal, for subfertility screening (P27), P-31
Thigmotaxis, spermatozooan (G6), P-19
Tubulovasostomy, monolateral, 330

U

Ultrasound, Doppler technique, for evaluation of penile circulation, 131
Ureaplasma urealyticum, and semen parameters (P7), P-26
Uremic impotence, hCG for, 120

V

Varicocele
and infertility, preoperative prognostic factors in, 135
Leydig cell function in, 163
repair of, effects of on testicular hemodynamics and temperature and on sperm counts and motility (C4), P-13
new microsurgical technique for, 148
new technique for (C5), P-14
prognostic factors in, 135
reproductive history and semen analysis in fertile men with, 17
Vasectomy
microrecanalization after, morphological demonstration of (J6), P-24
long- and short-term, structural and functional effects of (rat), 381

W

Wheat germ agglutinin, inhibition of in vitro fertilization of cumulus-free oocytes by (mouse) (J5), P-24

Z

Zwitter ion buffer system, vs. glycerol, as sperm cryoprotective, 1

Author Index to Volume 5

A

Aitken, R. J., Best, F. S. M., Warner, P., Templeton, A.: A prospective study of the relationship between semen quality and fertility in cases of unexplained infertility, 297

Aitken, R. J., Ross, A., Hargreave, T., Richardson, D., Best, F.: Analysis of human sperm function following exposure to the ionophore A23187: Comparison of normospermic and oligozoospermic men, 321

Alexander, A. N.: *see* Rabin, D.

Almirez, R. G.: *see* Gilbeau, P. M.

Almiron, I., Domene, H., Chemes, H. E.: The hormonal regulation of premeiotic steps of spermatogenesis in the newborn rat, 235

Alva, S.: *see* Sosa, A.

Amann, R. P.: *see* Wagley, L. M.

Ando, S., Giacchetto, C., Colpi, G., Beraldi, E., Panno, M. L., Lombardi, A., Sposato, G: Physiopathologic aspects of Leydig cell function in varicocele patients, 163

Annoni, F., Lania, C., Grasso, M., Ronchi, F., Pricolo, V. E.: Evaluation of penile circulation with the Doppler technique, 131; *also see* Lania, C.

Aparicio, N.: *see* Mancini, A.

Artibani, W.: *see* Breda, G.

Aszenmil, G.: *see* Mancini, A.

Aurigemma, A. C.: *see* Lombardi, G.

B

Barsantini, S.: *see* Canale, D.

Barsotti, G.: *see* Canale, D.

Belanger, A.: *see* Lefebvre, F. A.

Belgrano, E., Puppo, P., Gaboardi, F., Trombetta, C.: A new microsurgical technique for varicocele correction, 148

Belgrano, E., Puppo, P., Trombetta, C., Pittaluga, P.: Monolateral tubulovasostomy: Report of four cases, 330; *also see* Puppo, P.

Beraldi, E.: *see* Ando, S.

Berkovita, G. D., Brown, T. R., Migeon, C. J.: Inhibition of 5a-reductase activity and alteration of nuclear testosterone: Dihydrotestosterone ratio in human genital skin fibroblasts, 171

Berkowitz, A. S.: *see* Heindel, J. J.

Bernasconi, S., Vanelli, M., Rossi, S., Ghinelli, C., Ziveri, M., Virdis, R.: Intranasal luteinizing hormone releasing hormone (LHRH) therapy in cryptorchid children, 116

Best, F. S. M.: *see* Atkin, R. J.

Best, F.: *see* Aitken, R. J.

Breda, G., Graziotti, P., Artibani, W., Lembo, A., Pagano, F.: Long-term follow-up of Peyronie's disease: Reporting 41 cases, 145; *also see* Graziotti, P.

Briones, W.: *see* Vickery, B. H.

Brooks, D. E.: Protein secretion by the rat epididymis can be selectively modified *in vitro* by local anesthetics, glucose deprivation, dinitrophenol, ouabain, and ionophores, 351

Brown, D. V.: *see* Wagley, L. M.

Brown, M. A., Casillas, E. R.: Bovine sperm adenylate cyclase: Inhibition by adenosine and adenosine analogs, 361

Brown, T. R.: *see* Berkovitz, G. D.

Burhop, J. W.: *see* Cosentino, M. J.

Bush, M.: *see* Carter, K. K.

C

Cameron, D. F., Murray, F. T., Drylie, D. D.: Ultrastructural lesions in testes from hyperprolactinemic men, 283

Canale, D., Barsantini, S., Minervini, R., Fiorentini, L., Barsotti, G., Mechini-Fabris, G. F.: Human chorionic gonadotropin treatment of male sexuality inadequacy in patients affected by chronic renal failure, 120; *also see* Gattuccio, F.

Carmignani, G., Maffezzini, M., de Stefani, S., Corbu, C., Poddighe, S.: A rectangular dorsal preputial vascularized skin flap for one-stage hypospadias repair, 141

Carter, K. K., Chakraborty, P. K., Bush, M., Wildt, D. E.: Effects of electroejaculation and ketamine-HCl on serum cortisol, progesterone, and testosterone in the male cat, 431

Casillas, E. R.: *see* Brown, M. A.

Chakraborty, P. K.: *see* Carter, K. K.

Chapdelaine, P., Dube, J. Y., Frenette, G., Tremblay, R. R.: Identification of arginine esterase as the major androgen-dependent protein secreted by dog prostate and preliminary molecular characterization in seminal plasma, 206; *also see* Paquin, R.

Chapin, R. E., Dutton, S. L., Ross, M. D., Sumrell, B. M., Lamb, J. C., IV: The effects of ethylene glycol monomethyl ether on testicular histology in F344 rats, 369

Chemes, H. E.: *see* Almiron, I.

Cockett, A. T. K.: *see* Cosentino, M. J.

Cohen, S. N.: *see* Ficher, M.

Colpi, G.: *see* Ando, S.

Corbu, C.: *see* Carmignani, G.

Cosciani-Cunico, S.: *see* Graziotti, P.

Cosentino, M. J., Takihara, H., Burhop, J. W., Cockett, A. T. K.: Regulation of rat caput epididymidis contractility by prostaglandins, 216

Crawford, J. D.: *see* Eil, C.

D

D'Alia, O.: *see* Gattuccio, F.

de Castro, M. P., Mastrorocco, D. A. M.: Reproductive history and semen analysis in prevasectomy fertile men with and without varicocele, 17

de Rosa, M.: *see* Lombardi, G.

de Stefani, S.: *see* Carmignani, G.

De LaMirande, E., Gagnon, C.: Origin of a motility inhibitor within the male reproductive tract, 269

DeBenedictis, T. J.: *see* Marmar, J. L.

Doelle, G. C.: *see* Rabin, D.

Domene, H.: *see* Almiron, I.

Donahoe, P. K.: *see* Eil, C.

Drago, J. R., Murray, C.: Control of metastases in the Nb rat prostatic adenocarcinoma model, 265

Drylie, D. D.: *see* Cameron, D. F.

Dube, J. Y.: *see* Chapdelaine, P.; *also see* Paquin R.

Dutton, S. L.: *see* Chapin, R. E.

E

Eil, C., Crawford, J. D., Donahoe, P. K., Johnsonbaugh, R. E., Loriaux, D. L.: Fibroblast androgen receptors in patients with genitourinary anomalies, 313

Evans, R. M.: *see* Rabin, D.

F

Falvo, R.: *see* Vickery, B. H.

Ficher, M., Zuckerman, M., Fishkin, R. E., Goldman, A., Neeb, M., Fink, P. J., Cohen, S. N., Jacobs, J. A., Weisberg, M.: Do endocrines play in etiological role in diabetic and nondiabetic sexual dysfunctions?, 8

Fink, P. J.: *see* Ficher, M.

Fiorentini, L.: *see* Canale, D.

Fishkin, R. E.: *see* Ficher, M.

Foresta, C., Ruzza, G., Rizzotti, A., Lembo, A., Valente, M. L., Mastrogiacomo, I.: Varicocele and infertility: Preoperative prognostic elements, 135

Frego, E.: *see* Graziotti, P.
Frenette, G.: *see* Chapdelaine, P.

G

Gaboardi, F.: *see* Belgrano, E.; *also see* Puppo, P.
Gagnon, C.: *see* De LaMirande, E.
Galdieri, M., Monaco, L., Stefanini, M.: Secretion of androgen binding protein by Sertoli cells is influenced by contact with germ cells, 409
Gattuccio, F., D'Alia, O., Lo Bartolo, G., Orlando, G., Janni, A., Izzo, P., Canale, D., Menchini-Fabris, G. F.: Gonadotropic therapy in men with hypogonadotropic hypogonadism, 106
Ghinelli, C.: *see* Bernasconi, S.
Giacchetto, C.: *see* Ando, S.
Gilbeau, P. M., Almirez, R. G., Holaday, J. W., Smith, C. G.: The role of endogenous opioid peptides in the control of androgen levels in the male nonhuman primate, 339
Giner, J.: *see* Sosa, A.
Glode, L. M., Robinson, J., Horwitz, L. D.: Scrotal hypothermia and testicular blood flow in the dog: Absence of thermal regulation, 227
Goldman, A.: *see* Ficher, M.
Gondos, B.: *see* Sun, E. L.
Grasso, M.: *see* Annoni, F.; *also see* Lania, C.
Graziotti, P., Lembo, A., Frego, E., Breda, G., Cosciani-Cunico, S., Pagano, F.: Congenital curvature of the penis: Results of Nesbit's operation in 29 cases, 138; *also see* Breda, G.
Guitelman, A.: *see* Mancini, A.

H

Hadjigeorgiou, D.: *see* Lania, C.
Hamilton, D. W.: *see* Klinefelter, G. R.
Hargreave, T.: *see* Aitken, R. J.
Heindel, J. J., Jackson, F., Berkowitz, A. S.: Role of the pineal in the alteration of hamster Sertoli cell responsiveness to FSH during testicular regression, 211
Hernandez, O.: *see* Sosa, A.
Hoffer, A. P., Lisser, S. P.: Recovery of normal testicular ultrastructure and sperm motility after cessation of gossypol treatment in rats, 416
Holaday, J. W.: *see* Gilbeau, P. M.
Horwitz, L. D.: *see* Glode, L. M.

I

Izzo, P.: *see* Gattuccio, F.

J

Jackson, F.: *see* Heindel, J. J.
Jacobs, J. A.: *see* Ficher, M.
Janni, A.: *see* Gattuccio, F.
Jansz, G. F., Pomerantz, D. K.: Fetal irradiation increases androgen production by dispersed Leydig cells of the rat, 344
Jeyendran, R. S., Van Der Van, H. H., Kennedy, W., Perez-Pelaez, M., Zaneveld, L. J. D.: Comparison of glycerol and a Zwitter ion buffer system as cryoprotective media for human spermatozoa: Effect on motility, penetration of zona-free hamster oocytes, and acrosin/proacrosin, 1
Johnson, M. L.: *see* Rogol, A. D.
Johnsonbaugh, R. E.: *see* Eil, C.

K

Kennedy, W.: *see* Jeyendran, R. S.
Killian, G. J.: *see* Miller, R. J.
Kim, I., Waller, D. P.: Specific inhibition of the testicular mitochondrial respiratory chain *in vitro* by gossypol, 424
Klinefelter, G. R., Hamilton, D. W.: Organ culture of rat caput epididymal tubules in a perifusion chamber, 243

L

Labrie, F.: Lefebvre, F. A.
Lamb, J. C., IV: *see* Chapin, R. E.
Lania, C., Grasso, M., Mantovani, G., Hadjigeorgiou, D., Annoni, F., Rigatti, P.: Cryptorchidism: Review and evaluation of the fertility of adult cryptorchids, 125; *also see* Annoni, F.
Lefebvre, F. A., Belanger, A., Pelletier, G., Labrie, F.: Recovery of gonadal functions in the adult male rat following cessation of five-month daily treatment with LHRH agonist, 181
Lembo, A.: *see* Breda, G.; *also see* Foresta, C.; *also see* Graziotti, P.
Levalle, O.: *see* Mancini, A.
Liddle, G. W.: *see* Rabin, D.
Lin, T.: Mechanism of action of gonadotropin-releasing hormone-stimulated Leydig cell steroidogenesis: I. The stimulatory effect is calcium dependent and not mediated by cyclic nucleotides, 193
Lin, T.: Mechanism of action of gonadotropin-releasing hormone-stimulated Leydig cell steroidogenesis: II. Gonadotropin-releasing hormone stimulates phospholipid labeling, 201
Lisser, S. P.: *see* Hoffer, A. P.
Lo Bartolo, G.: *see* Gattuccio, F.
Lombardi, G., de Rosa, M., Torino, G., Quagliozzi, L., Aurigemma, A. C., Panza, N.: Daily and alternate-day treatment with an LHRH analog in the therapy of idiopathic hypogonadotropic hypogonadism, 111
Loriaux, D. L.: *see* Eil, C.

M

Maffezzini, M.: *see* Carmignani, G.
Mancini, A., Guitelman, A., Levalle, O., Aparicio, N., Aszenmil, G.: Bromocriptine in the management of infertile men after surgery of prolactin secreting adenomas, 294
Mantovani, G.: *see* Lania, C.
Marmar, J. L., DeBenedictis, T. J., Praiss, D. E.: Clinical experience with an artificial spermatocele, 304
Mastrogiacomo, I.: *see* Foresta, C.
Mastrorocco, D. A. M.: *see* de Castro, M. P.
McRae, G. I.: *see* Vickery, B. H.
Menchini-Fabris, G. F.: *see* Gattuccio, F.; *also see* Canale, D.
Migeon, C. J.: *see* Berkovitz, G. D.
Miller, R. J., Killian, G. J., Vasilenko, P., III: Effects of long- and short-term vasectomy on structural and functional parameters of the rat, 381
Minervini, R.: *see* Canale, D.
Monaco, L.: *see* Galdieri, M.
Morales, A.: *see* Sosa, A.
Murray, C.: *see* Drago, J. R.
Murray, F. R.: *see* Cameron, D. F.

N

Neeb, M.: *see* Ficher, M.
Nicosia, S. V.: *see* Stambaugh, R. L.

O

Orlando, G.: *see* Gattuccio, F.

P

Pagano, F.: *see* Breda, G.; *also see* Graziotti, P.
Panno, M. L.: *see* Ando, S.
Panza, N.: *see* Lombardi, G.
Paquin, R., Chapdelaine, P., Dube, J. Y., Tremblay, R. R.: Similar biochemical properties of human seminal plasma and epididymal a-1,4-glucosidase, 277
Pelletier, G.: *see* Lefebvre, F. A.
Perez-Pelaez, M.: *see* Jeyendran, R. S.
Pittaluga, P.: *see* Belgrano, E.
Poddighe, S.: *see* Carmignani, G.
Pomerantz, D. K.: *see* Jansz, G. F.
Praiss, D. E.: *see* Marmar, J. L.
Pricolo, V. E.: *see* Annoni, F.
Punjabi, U., van Hoecke, J., Verdonck, L., Vermeulen, A.: Testicular blood flow in young and old rats and influence of hCG, 223
Puppo, P., Belgrano, E., Gaboardi, F., Trombetta, C.: Alloplastic bridge spermatocele: An experimental study in the rat, 155; *also see* Belgrano, E.
Pusch, H. H.: New aspects in diagnosis and therapy of liquefaction disturbances in human semen, 128

Q

Quagliozzi, L.: *see* Lombardi, G.

R

Rabin, D., Evans, R. M., Alexander, A. N., Doelle, G. C., Rivier, J., Vale, W., Liddle, G. W.: Heterogeneity of sperm density profiles following 20-week therapy with high-dose LHRH analog plus testosterone, 176
Richardson, D.: *see* Aitken, R. J.
Rigatti, P.: *see* Lania, C.
Rivier, J.: *see* Rabin, D.
Rizzotti, A.: *see* Foresta, C.

Robinson, J.: *see* Glode, L. M.
Rogol, A. D., Veldhuis, J. D., Williams, F. A., Johnson, M. L.: Pulsatile secretion of gonadotropins and prolactin in male marathon runners: Relation to the endogenous opiate system, 21
Ronchi, F.: *see* Annoni, F.
Ross, A.: *see* Aitken, R. J.
Ross, M. D.: *see* Chapin, R. E.
Rossi, S.: *see* Bernasconi, S.
Ruzza, G.: *see* Foresta, C.

S

Schanbacher, B. D.: *see* Vickery, B. H.
Seidenberg, R.: *see* Vickery, B. H.
Sierra, J. A.: *see* Sosa, A.
Smith, C. G.: *see* Gilbeau, P. M.
Sosa, A., Giner, J., Alva, S., Sierra, J. A., Morales, A., Hernandez, O.: Cytoplasmic estradiol binding sites in testis of fertile and infertile men, 159
Sposato, G.: *see* Ando, S.
Stambaugh, R. L., Nicosia, S. V.: Localization of tubulin and microtubules of *in vivo* fertilized rabbit oocytes, 259
Stefanini, M.: *see* Galdieri, M.
Sumrell, B. M.: *see* Chapin, R. E.
Sun, E. L., Gondos, B.: Squash preparation studies of germ cells in human fetal testes, 334

T

Takahara, H.: *see* Cosentino, M. J.
Templeton, A.: *see* Aitken, R. J.
Torino, G.: *see* Lombardi, G.
Tremblay, R. R.: *see* Chapdelaine, P.; *also see* Paquin, R.
Trombetta, C.: *see* Belgrano, E.; *also see* Puppo, P.

V

Vale, W.: *see* Rabin, D.
Valente, M. L.: *see* Foresta, C.
van Hoecke, J.: *see* Punjabi, U.
Van Der Ven, H. H.: *see* Jeyendran, R. S.
Vanelli, M.: *see* Bernasconi, S.
Vasilenko, P., III: *see* Miller, R. J.
Veldhuis, J. D.: *see* Rogol, A. D.
Verdonck, L.: *see* Punjabi, U.
Vermeulen, A.: *see* Punjabi, U.
Versluis, T. D.: *see* Wagley, L. M.
Vickery, B. H., McRae, G. I., Briones, W., Worden, A., Seidenberg, R., Schanbacher, B. D., Falvo, R.: Effects of an LHRH agonist analog upon sexual function in male dogs: Suppression, reversibility, and effect of testosterone replacement, 28
Virdis, R.: *see* Bernasconi, S.

W

Wagley, L. M., Versluis, T. D., Brown, D. V., Amann, R. P.: Culture of principal cells from the ram epididymis: A comparison of the morphology of principal cells in culture and *in situ*, 398
Waller, D. P.: *see* Kim, I.
Warner, P.: *see* Aitken, R. J.
Weisberg, M.: *see* Ficher, M.
Wildt, D. E.: *see* Carter, K. K.
Williams, F. A.: *see* Rogol, A. D.
Worden, A.: *see* Vickery, B. H.

Z

Zaneveld, L. J. D.: *see* Jeyendran, R. S.
Ziveri, M.: *see* Bernasconi, S.
Zuckerman, M.: *see* Ficher, M.

Postdoctoral Research Associate Position
Vanderbilt University

Position available January 1, 1985. Preference will be given to a recent graduate in Biochemistry or Physiology with interest in molecular endocrinology. The ideal candidate will have had experience in protein purification and antibody (polyclonal/monoclonal) development. The position will involve studies on the structure/function relationships of androgen-binding protein (ADP) and on the involvement of ADP in the regulation of sperm maturation and epididymal function. Send curriculum vitae and the names of three references to: **Benjamin J. Danzo, Ph.D., Department of Obstetrics and Gynecology, Vanderbilt University, Nashville, Tennessee 37232.** An affirmative action, equal opportunity employer.